


MILLERS FALLS

POWER TOOLS



Finest Electric Tools Made

**MILLERS FALLS
TOOLS**

SINCE
1868

The Mark of Superiority

No. 2818

Vertical Bench Stand

Fits either No. 1814 or No. 814 Drill. Sturdily built. Adjustable vertically and horizontally. Provides powerful leverage.

Maximum,
chuck to table 12"
Maximum,
chuck to column 4½"
Feed 1¾"
Weight 8 lbs.

Packed one stand
in a box



No. 2018

Horizontal Bench Stand

Fits either No. 1814 or No. 814 Drill. Particularly useful when drill is used for grinding, wire brushing, buffing, disc sanding. Clearance, chuck to table: 2½". Easily blocked up on bench to give greater clearance if desired.

Weight 1½ lbs.
Packed one stand in a box



FOR STEADY POWER

Mount your ¼" drill in this compact bench stand. With trigger-switch locked, it provides continuous drive for a wide variety of useful accessories.

MAKES SANDING EASY. A better job with no tired arms, no skinned knuckles.



No. 1814

with Jacobs
Geared Key Chuck



No. 814

Same as No. 1814
but with Millers Falls
Precision Hand Chuck

¼-Inch Pistol Grip Drills

Powerful — Compact — Lightweight — for easy, one-hand use

Feature by feature, these Millers Falls pistol-grip drills represent exceptional values. Light (only 3 lbs.) — compact (only 8⅞" overall) — and beautifully balanced, they're a real pleasure to use. The palm-fitting grip is the most comfortable we've ever seen. The straight-line trigger switch can be locked for continuous use and automatically released at a touch of the trigger. Powerful, too — these new drills are conservatively rated at 1.7 amperes — ample power for drilling up to ¼" in steel — up to ¾" in wood. They're sturdily built and nicely finished in hammer-tone gray enamel. Electrically and mechanically, they offer outstanding value, service and dependability.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

HOUSING: Die cast aluminum

GEARS: Alloy steel, grease lubricated

SWITCH: Single pole, with lock and automatic trigger release

BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type SJ, with moulded reinforcement and plug.

	Capacity in Steel	Chuck	R.P.M.	Ampere Full load	Length Overall	Weight	Price
No. 814	¼"	Millers Falls	2500	1.7	8⅞"	3 lbs.	
No. 1814	¼"	Jacobs Geared Key	2500	1.7	8⅞"	3 lbs.	

Individually boxed, packed 20 per case

POLISHING OR WAXING YOUR CAR. Another of the countless jobs you can do faster and better, with your Millers Falls ¼" drill.



FOR FAST, ACCURATE DRILLING anywhere around the house. Millers Falls ¼" drills are lightweight but packed with power.



No. 1914

with Jacobs
Geared Key Chuck



No. 914

same as No. 1914
but with Millers Falls
Precision Hand Chuck



1/4-Inch Spade-Handle Drills

with full 2.0-ampere rating

For men who prefer the straight-line operating thrust of a spade-handle drill, the No. 914 and No. 1914 offer outstanding values. They're powerful, smooth-running and sturdy—built with all the rugged dependability that tool-wise craftsmen know you can count on in Millers Falls tools.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

GEARS: Alloy steel, grease lubricated

BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type SJ, with moulded reinforcement and plug

	Capacity in Steel	Chuck	R.P.M.	Ampere Full Load	Length Overall	Weight	Price
No. 914	1/4"	Millers Falls	2500	2.0	11 1/2"	3 1/2 lbs.	
No. 1914	1/4"	Jacobs Geared Key	2500	2.0	11 1/2"	3 1/2 lbs.	

Individually boxed, packed 20 per case



Multiply the Uses of Your 1/4" Drill With These Accessories and Supplies

- A. NO. 23096 HIGH-SPEED TWIST DRILL SET. 13 sizes from 1/16 to 3/4 by 64ths. High-speed steel. For use in steel, iron, hardwood, plastic, etc.
- B. NO. 23107 DRILL HOLDER. With 13 numbered holes for drill set above.
- C. NO. 2107 3-PIECE DRILL SET. Sizes: 1/8" — 1/4" — 3/8"
- D. NO. 2115 WHEEL ARBOR. Screws directly on spindle, replacing chuck. For mounting grinding, buffing and wire brush wheels. For wheels with 1/2" holes.
- E. NO. 2110 WHEEL ARBOR. Fits directly into chuck. Otherwise serves same purposes as No. 2115 Wheel Arbor above. For wheels with 1/2" holes.
- F. NO. 23093 GRINDING WHEEL. Medium grit for all around sharpening and grinding use. 4" x 1/2" with 1/2" hole.

- G. NO. 2103 GRINDING WHEEL. Same as No. 23093 (see F), but 3" diameter.
- H. NO. 23094 WIRE BRUSH WHEEL. For cleaning, burrishing and removing rust, scale, old paint. 4" diameter, 1/2" hole.
- I. NO. 23095 BUFFING WHEEL. 4-inch 20-ply, stitched cotton buff for cleaning and polishing metals. 1/2" hole.
- J. NO. 2105 RUBBER PAD. For backing sanding discs and polishing bonnets. Pad only. See below for Adaptor.
- K. NO. 2111 RUBBER PAD ADAPTOR. For use with No. 2105 Rubber Pad above.
- L. NO. 2122 5" SANDING DISCS. #1 or #00 Grit.
- M. NO. 2121 5" LAMB'S WOOL BONNET. High grade, genuine lamb's wool for polishing and waxing.

MILLERS FALLS
TOOLS

SINCE
1868

The Mark of Superiority



No. 2014

No. 2014 Horizontal Bench Stand

Cast bed with powerful tightening strap that holds drill rigidly for smooth operation. Design permits exceptional freedom of movement when using with grinding wheels, buffs, etc.

BASE: 2" x 4 1/2", fastens to bench with 2 screws.

CLEARANCE: Bench to center of drill spindle, 5 1/2".

WEIGHT: 3 1/2 lbs.

Packed 1 stand in a box

No. 2914 Vertical Bench Stand

A solidly constructed stand that makes the No. 914 or No. 1914 Drill into an efficient drill press. Drill is easily mounted and securely held for accurate work.

Max. chuck to table 12"
Max. chuck to column 4 1/2"
Feed 1 1/2"
Weight 7 1/2 lbs.

Packed 1 stand in a box

No. 2914



USING JEWELER'S ROUGE on your buffing wheel puts a mirror finish on almost any metal. It's fun being able to give your work that important "professional touch."




ANYWHERE YOU
NEED IT

You can take your powerful 1/4" drill right to the job with a standard extension cord. Wire brushing rusted metal is only one of many outdoor jobs you can do in a jiffy.

No. 8142 Deluxe Drill Kit

UL



1/4-Inch Drill Kits

Everything you need for hundreds of jobs

No. 8142 Deluxe Drill Kit



No. 8142 Deluxe Drill Kit

No. 8142 Deluxe Drill Kit provides everything needed for drilling, polishing, grinding, buffing, sanding, cleaning — hundreds of jobs around the home. Dollar for dollar there's tremendous value packed in this top-quality assortment. A real buy for homeowners, hobbyists, repair and service men. Kit includes: No. 1814 1/4" drill with Jacobs geared key chuck — (A) 5" lamb's wool bonnet — (B) 4" wire brush wheel — (C) 3" grinding wheel — (D) horizontal stand — (E) wheel arbor — (F) 4" buffing wheel — (G) two 5" sanding discs — (H) 5" rubber pad — (I) rubber pad adaptor — (J) set of 13 high-speed twist drills, 1/16" to 1/4" — (K) 13-hole, numbered drill holder — (M) enameled steel carrying case.

	Drill	Chuck	Weight	Price
No. 8142	No. 1814	Jacobs Geared Key	10 1/4 lbs.	
No. 5262		Gray hammer-tone enameled steel carrying case only		

Packed 5 kits in a case

No. 4914 Kit with No. 1914 Drill

No. 3914 Kit with
No. 914 Drill

These kits, built around Miller's Falls No. 914 and No. 1914 1/2-inch spindle-handle drills, offer a top-quality assortment of the most useful and practical accessories and supplies available for operation with a 1/2-inch drill. Both kits are identical except for the drill and they include: No. 914 or No. 1914 drill — Set of 13 high-speed drills (1/16" — 1/4") — 13-hole, numbered drill holder — No. 2014 horizontal bench stand — wheel arbor — 4" x 1/2" grinding wheel — 4" wire wheel brush — 4" cotton buff — gray enameled steel carrying case.

	Drill	Chuck	Weight	Price
No. 3914	No. 914	Miller's Falls	12 1/2 lbs.	
No. 4914	No. 1914	Jacobs Geared Key	12 1/2 lbs.	
No. 5265		Gray hammer-tone enameled steel carrying case only		

Packed 5 kits in a case

MILLERS FALLS
TOOLS

SINCE
1868

The Mark of Superiority

"A whole workshop all in one!" — that's what you'll say about your handy Miller's Falls Drill Kit. You'll be amazed to find how much power — and how much usefulness — can be packed into one combination storage box and lightweight carrying case.


What's more, every item in every kit is top-quality — from the fine 1/4" drill itself right down to the last accessory in each assortment. So whichever kit you select, you can be sure of top performance on any of the countless jobs it equips you to do.

Standard Drill Kits

No. 8141
with No. 1814
Drill

No. 8140
with No. 814
Drill

These kits have been specially designed to supply the most useful assortment of quality accessories available at such reasonable prices. Except for the drill, both kits are identical and include: No. 814 or No. 1814 1/4" drill — (A) 5" lamb's wool bonnet — (B) 4" wire brush wheel — (E) wheel arbor — (G) two 5" sanding discs — (H) 5" rubber pad — (I) rubber pad adaptor — (J) set of 3 twist drills, 1/8", 3/16", 1/4" — (L) enameled steel carrying case.



	Drill	Chuck	Weight	Price
No. 8140	No. 814	Miller's Falls	8 lbs.	
No. 8141	No. 1814	Jacobs Geared Key	8 lbs.	
No. 5260		Gray hammer-tone enameled steel carrying case only		

Packed 6 kits in a case





**No. 8006
Complete Set
of 6 Sizes**



New "Dyno-Mite" Power Wood Bits

High-speed steel blades even cut through wire nails without damage. Here are the most efficient tools ever developed for boring holes up to 1" diameter in wood, plastics and similar materials with power drills and drill presses. "Dyno-Mite" bits give you all the advantages of the modern flat-blade design which is rapidly replacing conventional auger bits. In addition they have high-speed steel blades which bore clean and fast in either cross or end grain — start readily even at angles — are not affected by drilling heat that would draw temper of ordinary tool-steel bits — stay sharp 10 times longer.

Depth of Cut — 5"

Overall length — 6½"

Shanks ¼"

No.	Blade Diam.	Weight Box	Price Each
800	3/8"	8 oz.	
800	1/2"	10 oz.	
800	5/8"	13 oz.	
800	3/4"	14 oz.	
800	7/8"	16 oz.	
800	1"	17 oz.	

Packed 6 in a box

935 12" Extension with Hex Key

Sets in Plastic Rolls


No.	Set of	Weight	Price Set
No. 8004	Set of 4 (1½" — 3/8" — 1/2" — 1")	¾ lbs.	
No. 8006	Set of 6 (3/8" — 1/2" — 5/8" — 3/4" — 7/8" — 1")	1 lb.	

Packed 1 set in a box

**MILLERS FALLS
TOOLS**

SINCE
1868

The Mark of Superiority



Still going strong after boring through 15 ft. of hard maple, 188 screws, 37½ wire nails! That's the record of a single "Dyno-Mite" bit used to prepare demonstration blocks like this.

Cut easily, smoothly through hard or soft wood, plywood, plastics, etc.



"Impossible Spots" are easy to reach with Right-Angle Drive in your ¼" drill.

No. 2130 No. 2135



Right-Angle Drive

A handy attachment for ¼" electric drills, permitting operation in close quarters where drill cannot be used direct . . . in corners, between studs, etc. No adaptor is required. Gear ratio is 1 to 1. Solid steel gears self-lubrication bronze bearings. Side handle is reversible.

NO. 2130 — for ¼" drills with "Geared Key" or "Hex Key" chucks threaded 3/8" — 24 and with ½" or longer spindles. This includes Millers Falls No. 1814 and No. 1914.

NO. 2135 — for ¼" drills with spindles threaded 3/8" — 24 and 3/4" or more long. This includes Millers Falls No. 814 and No. 914.

Weights 1 lb. Packed 1 drive in a box

New Jig-Saw Attachment

Fits any ¼" drill. An extremely versatile and useful tool for sawing intricate patterns for brackets, valances and other decorative or odd shapes in wood — or weather vanes, house signs, etc., in sheet metal. Requires no starting hole in wood — cuts its own way through.

NO. 2140 — Attachment with 4 saw blades. Capacity 3/4" in wood, 3/8" in metal. Weight 1½ lbs. Packed 1 in a box



No. 2140

No. 2120



Buffing and Sanding Attachment

Makes any ¼" electric drill an efficient power buffer-sander. Two speeds — 1 to 2 and 2 to 1 drill speed. Sturdy and smooth-running. Grease-sealed lubrication. Machine-cut steel gears. Convenient 100° angle drive allows clearance for drill and cord on flat work.

NO. 2120 — Attachment complete with 5" Rubber Pad, two 5" Sanding Discs, and 5" Lamb's Wool Bonnet, in counter display box. Weight 2¼ lbs.

NO. 2121 — Extra 5" Lamb's Wool Bonnet.

NO. 2122 — Extra 5" Sanding Discs #1 or #00 Grit.

NO. 2125 — ¼-inch Drill Chuck for use on No. 2120 Attachment. Permits drilling in corners and other places difficult to reach with drill alone.



Buffing
Polishing
Waxing

Sanding
Cleaning



**MILLERS FALLS
TOOLS**

SINCE
1868

The Mark of Superiority

No. 2912



**No. 2912
Vertical Bench Stand**

A highly useful companion for the No. 912 drill. Heavy construction throughout. Large base gives stand great stability and is carefully machined for accurate work. Smooth-acting with powerful leverage capable of exerting ample pressure for $\frac{1}{2}$ " drilling in steel. Takes only a few moments to mount or remove drill.

Max., chuck to table	14"
Max., chuck to column	5 $\frac{1}{4}$ "
Feed	3 $\frac{1}{2}$ "
Weight	26 lbs.

Packed 1 stand in a box




EVEN IN CONCRETE, you can drill fast and clean with Millers Falls No. 912 Drill—power-packed to handle heavy jobs like this smoothly.



CUT BIG HOLES FAST—to install pipes and cables through partitions or floors—with circular "plumber's hole saw" in No. 912 Drill.

No. 912
 $\frac{1}{2}$ inch drill

with Jacobs
Geared Key Chuck



Most Powerful $\frac{1}{2}$ -Inch All-Purpose Drill Made

A top buy for farm, home, workshop, garage and repair shop use

For those tough jobs that smaller drills just can't handle, here's the drill for you: Millers Falls No. 912 with more built-in power, more solid, dependable drilling punch than any comparable drill on the market. It has a rugged 3.0 amp. motor, ample power for drilling up to $\frac{1}{2}$ " holes in steel, up to 1" in wood—without stalling, without over-heating. Locking button for continuous use with automatic trigger release. Removable pipe handle for extra heavy work. Electrically and mechanically, it's the last word in engineering design, built to give you years of fine performance.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

HOUSING: Die cast aluminum with hammer-tone gray enamel finish

GEARS: Alloy steel, grease lubricated

SWITCH: Double pole with lock and automatic trigger release


BEARINGS: Ball thrust spindle. Others oil impregnated bronze.

CORD: 7 feet of three-conductor, type SJ, with moulded reinforcement and plug

	Capacity In Steel	Chuck	R.P.M.	Ampere Full load	Length Overall	Weight	Price
No. 912	$\frac{1}{2}$ "	Jacobs Geared Key	450	3.0	15"	8 lbs.	

Individually boxed, packed 10 per case

NO STALLING, NO OVERHEATING—even on the toughest jobs—when you have the most powerful of all $\frac{1}{2}$ " all-purpose drills made!



A SERVICEABLE DRILL PRESS is quickly made by mounting your No. 912 Drill in this sturdy bench stand.

NO. 888 Power Unit

Complete with 3/8" Jacobs Geared Key Chuck, 6" Rubber Pad and lock nut, three 6" Sanding Discs, 6" Lamb's Wool Bonnet, Spindle Arbor and reversible Side Handle.



MILLERS FALLS
TOOLS

SINCE
1868

The Mark of Superiority

With expertly designed, inexpensive attachments, you can have these 8 Additional Machines



6-Inch Disc Bench Sander



6-Inch Portable Saw



6-Inch Bench Saw



4-Inch Bench Grinder



Original Sander



Portable Jig Saw



Bench Jig Saw

New 888 Power Unit

The start of a Complete Power Workshop

Here's one of the greatest time and work savers ever invented! Just as it comes, the 888 Power Unit is three tools in one—powerful 3/8-inch drill, a 6-inch portable disc sander, and a 6-inch polisher. Add its amazing assortment of beautifully engineered, economically priced attachments to make a *very complete power workshop*—all for a small fraction of the cost of individually powered tools to perform the same work.

888 Power Unit Is Built For Performance. In every detail, this great new tool is designed to give outstanding performance. For instance, all attachments are driven directly from the spindle (the chuck is used for drilling only). Thus the load is kept close to the bearings—wear and vibration are minimized. The rugged Universal AC-DC motor carries a *full 4.0 amp. rating*. Other features include: N.L. Speed of 3200 r.p.m. . . . drilling capacity 3/8" diameter in metal—1" diameter in wood.

MOTOR: Universal for DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

GEARS, PINION AND SPINDLE: Spindle 3/8"-24T thread. Finest hardened alloy steel. Spindle nut designed to take sanding discs with either 3/8" or 1/2" holes.

SWITCH: Fully enclosed trigger with lock and automatic release

CHUCK: 3/8" Jacobs Geared Key

BEARINGS: Ball thrust spindle. Others oversize self-oiling, bronze sleeve throughout.

BRUSHES: Long life pigtail. Accessible from without.

EQUIPMENT: One 6" Lamb's Wool Bonnet, one each coarse, medium and fine Sanding Disc, one 6" Rubber Pad with conical lock nut. Reversible side handle. Spindle Arbor for wheels with 1/2" holes, 7 feet of three-conductor cord, Type S-J, with moulded reinforcement and plug.

	Chuck	Disc	R. P. M.	Amps.	Weight	Price
No. 888 Power Unit	3/8"	6"	3200	4.0	5 1/2 lbs.	
No. 8888 — same without chuck or accessories.						

Packed complete in counter display carton — Weight 11 1/4 lbs.

See following pages for full listing of 888 Power Unit Attachments

General-Purpose Bench Power Unit for driving wire brushes, buffers, grinding wheels, etc.



Rugged Attachments for the No. 888 Power



No. 881

No. 881 Bench Stand

Solidly bolted or screwed down, this sturdy, cast-iron base converts the No. 888 into a rugged general-purpose bench power unit, providing steady drive for wire brush, buffing or grinding wheels with $\frac{1}{2}$ " holes. The base is also used for operating the No. 889 Disc Sander, the No. 8810 Bench Grinder, and the No. 887 Bench Jig Saw attachment.

	Base	Weight	Price
No. 881	$3\frac{1}{2}$ " x 3"	2½ lbs.	

Packed 1 in a box



No. 882

No. 882 Orbital Sander

This attachment is mounted and locked directly on the spindle and spindle housing of the No. 888 Power Unit. It transforms rotary motion into orbital motion at the rubber-backed sanding shoe. Used with standard abrasive sheets cut in thirds, it produces an extremely smooth surface on wood or metal for applying fine, high lustre finishes. A "must" for good cabinet work.

	Size Shoe	Weight	Price
No. 882	$3\frac{1}{2}$ " x $7\frac{1}{2}$ "	1½ lbs.	

Packed 1 in a box



No. 883

No. 883 6-Inch Bench Saw

Driven by the powerful No. 888 Power Unit, this extremely useful saw performs wonderfully. Depth of cut is quickly and easily adjustable from 0" up to a capacity of $1\frac{5}{8}$ ". The big table is $12\frac{1}{4}$ " wide, 13" deep and $9\frac{3}{4}$ " high, with a full 6" in front of the saw. Comes complete with graduated cut-off and mitering gauge, self-aligning rip fence, and high-quality 6" combination blade.

Table width can be increased to $18\frac{1}{4}$ " by adding No. 884 Extensions (extra). The saw is completely guarded below the table and self-elevating No. 885 Saw Guard can be added (extra) for greater safety.

	Saw	Table	Weight	Price
No. 883	6"	$12\frac{1}{4}$ " x 13"	25½ lbs.	

Packed 1 in heavy carton. Shipping Weight, 33 lbs.

No. 884 Saw Table Extensions


Rugged, well-designed extensions, 3" wide x 13" long, bolt to either side of the No. 883 Saw Table for greater working surface when desired. Packed 1 pair in a box. Weight 5 lbs. Per pair

No. 885 Saw Guard

A highly desirable, self-elevating fixture to protect the operator from that portion of the blade which extends above the table top of the No. 883 Saw. Guard is made of substantial steel stampings and is quickly and firmly mounted on the table with the two screws provided. Packed 1 in a box. Weight ½ lb.

No. 8812 Sanding Guide

There are many free-hand disc sanding operations where it is highly desirable to have positive control of the angle of cut in order to prevent gouging and scoring. This attachment provides such control — fastens directly to the housing of the No. 888 Power Unit at any desired angle. Packed 1 in a box. Weight ½ lb.



Accessories and Supplies

- A NO. 23096 HIGH-SPEED TWIST DRILL SET. 13 sizes from $\frac{1}{16}$ to $\frac{1}{4}$ by 64ths. High-speed steel. For use in steel, iron, hardwood, plastic, etc.
- B NO. 21107 DRILL HOLDER. 13 numbered holes for drill set above.
- C NO. 9666 BUFFING WHEEL. For cleaning and polishing silver, copper, brass and other metals. Made of fine quality cotton, 20-ply, stitched, 6" diameter.
- D NO. 9666 SANDING DISCS. High-grade 6" Aluminum Oxide discs. Three grits available — coarse, medium and fine. Packed 6 discs in cellophane envelope — either assorted grits or all the same.
- E NO. 23093 GRINDING WHEEL. Medium grit for all around sharpening and grinding use. 4" x $\frac{1}{2}$ " with $\frac{1}{2}$ " hole.
- F NO. 9667 LAMB'S WOOL BONNET. High grade, genuine lamb's wool for polishing and waxing. Fits snugly over rubber pad. 6" diameter.
- G NO. 23094 WIRE BRUSH WHEEL. Medium wire for general scratching and cleaning. 4" diameter.
- H NO. 9634 CUP WIRE BRUSH. Useful for cleaning and burnishing inside surfaces difficult to reach with regular wire wheel brush. 2½" diam.
- I NO. 9670 POWER AUTO POLISH. Loosens and removes film and dirt like magic. Just squirt on surface. Polish with lamb's wool bonnet on the 888 Power Unit.
- J NO. 9671 PAINT STIRRER. Correctly shaped for maximum stirring efficiency without splashing or spilling. Fits cans of quart or larger size.

Unit that make a complete Power Workshop

No. 886 Jig Saw

An extremely versatile and useful tool for sawing out intricate patterns in wood or metal. Ideal for making brackets, valances, weather vanes, house signs, and other decorative or odd shapes. *No starting hole is required in wood — it cuts its own way through.*

Attachment clamps directly onto spindle housing of the No. 888 Power Unit and is direct-driven from the spindle by the collar provided. Four fine-quality blades are supplied — two for wood and two for metal.

23/7/6
No. 886




No. 889

23/7/6

	Capacity	Weight	Price
No. 886	Wood $\frac{3}{4}$ " Metal $\frac{1}{8}$ "	1 $\frac{1}{2}$ lbs.	

Packed 1 in a box



No. 887

No. 887 Jig Saw Table

Projects such as puzzles, monograms and intricate designs can be cut out easier and better when the No. 886 Jig Saw is set up as a bench unit. Such a unit is quickly made by attaching this table to the shoe of the No. 886 Jig Saw and locking the complete assembly in the No. 881 Stand. Note that the jig saw is attached at right angle to the handle on the nose of the No. 888 Power Unit so that the table is parallel to the bench.

The table is a heavy steel stamping 8" by 8" square.

	Size	Weight	Price
No. 887	8" x 8"	1 $\frac{1}{4}$ lbs.	

Packed 1 in a box

No. 8810 4-Inch Bench Grinder

Converts the No. 888 Power Unit into a handy, smooth operating bench grinder with wheel well-guarded for safety. Also provides a work rest that is adjustable for both angle and diameter of wheel.

No. 8810

The cast-iron guard clamps directly to the spindle housing of the No. 888 Power Unit. The grinding wheel is 4" medium grit with $\frac{1}{2}$ " face and hole. It is mounted on the arbor supplied, which screws directly on the spindle of the No. 888 after it has been clamped into the No. 881 Stand.



	Wheel Diam.	Weight	Price
No. 8810	4"	2 $\frac{3}{4}$ lbs.	

Packed 1 in a box



No. 889 6-Inch Disc Bench Sander

Does a fine job of wood sanding or metal polishing at angles and even compound angles. Table is $5\frac{3}{8}$ " x 8", with $3\frac{3}{4}$ " directly in front of the disc. A graduated angle gauge is provided and the entire table can be tilted to 45°. An adjusting screw is also supplied to correct the normal 90° table-to-disc angle.

The 6" disc is driven directly off the spindle of the No. 888 Power Unit after it has been mounted in the No. 881 Stand. The Sander table and frame bolt directly to the end of the stand.

	Disc	Table	Weight	Price
No. 889	6"	$5\frac{3}{8}$ " x 8"	3 $\frac{1}{2}$ lbs.	

Packed 1 in a box

No. 8811 6-Inch Portable Saw

This attachment makes one of the finest 6" portable saws you could ask for. The shoe is a rigid steel stamping 6" wide and 10 $\frac{1}{2}$ " long, with sturdy ripping guide. Depth of cut is adjustable from 0" to $1\frac{7}{8}$ " — enough to handle finished 2 x 4's. Angle adjustments from 90° to 45°. For safety a cast aluminum, telescoping saw guard is provided.

No. 8811



	Diam. Saw	Weight	Price
No. 8811	6"	3 $\frac{3}{4}$ lbs.	

Packed 1 in a box

No. 610**Heavy Duty
6-Inch Saw****1 7/8"
Capacity**

Portable Electric Saws

The light weight and perfect balance of these saws make them extremely easy to operate. They perform wonderfully and can be relied on for years of highly satisfactory use.

They are regularly equipped with a fine-quality combination saw blade, telescoping guard for maximum safety, heavy steel shoes with sturdy adjustments for angles and depth of cut, and a built-in ripping gauge. Air blast clearance of the cutting line is provided.

NEW NO. 600 6-INCH SAW. A powerful tool with maximum depth of cut of 1 7/8" at right angle, enough to handle finished 2 x 4's and 1 1/8" at mitre (45°). Gears are precision cut, helical, hardened alloy steel. Bearings are self-aligning, oil-impregnated bronze.

NO. 610 6-INCH HEAVY DUTY SAW. A fine rugged saw that is powerful enough and big enough to handle 90% of all sawing jobs commonly encountered. Maximum cut at right angle, 1 7/8"; at mitre (45°), 1 1/8". Gears are precision cut, helical, hardened alloy steel. Bearings are ball and self-lubricating bronze.

NO. 700 7-INCH SAW. A larger, heavier saw with capacity for cutting finished 2" lumber at right angle or mitre (45°). Maximum cut at right angle, 2 3/8"; at mitre, 1 3/4". Gears are precision cut, helical, hardened alloy steel. Bearings are ball and self-lubricating bronze.

MOTORS: Universal DC or AC 25/60 cycles

VOLTAGES: 115 or 230 volt

EQUIPMENT: No. 600 — 7 feet of three-wire rubber covered cord with moulded plug. Nos. 610 and 700 have 10 ft. cords. Wrench for changing blade is provided. Carrying case and extra blades available separately.

**MILLER'S FALLS
TOOLS**SINCE
1868*The Mark of Superiority***NEW****No. 600 6-Inch Saw****1 7/8" Capacity****No. 700****7-Inch Saw****2 3/8"
Capacity**

FASTER THAN 10 MEN WITH HANDSAWS

Whether you're amateur or professional, Miller's Falls portable electric saws are the biggest buy you can make in faster, easier, more accurate sawing. All are light, compact, simple and safe to use — with plenty of power and adjustments to do precisely any sawing job.

	Diameter Saw	R. P. M.	Maximum Cut 90° 45°	H. P. of Motor	Base	Net Weight	Shipping	Price
No. 600	6"	4500	1 7/8" 1 1/8"	1/3	6" x 10 1/2"	9 3/4 lbs.	13 3/4 lbs.	
No. 610	6"	5500	1 7/8" 1 1/8"	1/2	6" x 10 1/2"	10 3/4 lbs.	14 1/2 lbs.	
No. 700	7"	5000	2 3/8" 1 3/4"	1/2	6 1/2" x 11 1/2"	11 lbs.	15 lbs.	
No. 6600	No. 600 Saw complete with steel carrying case							19 3/4 lbs.
No. 7610	No. 610 " " " " " "							20 3/4 lbs.
No. 8700	No. 700 " " " " " "							21 lbs.

Hammer-Tone Gray Enamelled Steel Carrying Cases

No. 6000 for No. 600 Saw

No. 7000 for Nos. 610 and 700 Saws

All saws and carrying cases individually boxed



Extra Saw Blades

Type Saw

6" for Nos. 610 & 600 Saws

7" for No. 700 Saw

A Chisel-Tooth Combination

No. 6102

No. 7002

B Hollow-Ground, Mitre or Planer

No. 6104

No. 7004

C Carbide Tipped

No. 6106

No. 7006

D Flooring or Nail

No. 6108

No. 7008

Packed 1 blade in a fibre envelope



47 AUTHORIZED SERVICE STATIONS

assure prompt, factory-quality service

To save time and transportation costs, and to make factory-quality service readily available from coast to coast, Millers Falls maintains an extensive network of authorized service stations. Each is fully equipped, staffed and stocked to render top-quality repairs and reconditioning on any Millers Falls electric tool quickly, efficiently and at reasonable cost.

UNITED STATES

- Amarillo, Texas Service and Supplies, 1301 West 6th Street
- Atlanta, Georgia Tool Service Co., 426 Luckie Street, N.W.
- Baltimore, Maryland Lange Electric Co., 202 W. Chase Street
- Birmingham, Alabama Birmingham Elec. Battery Co., Ave. B and 22nd St.
- Boston, Massachusetts W. J. Connell Co., 210 Needham Street, Newton
- Buffalo, New York S-S Electric Repair Shop, Inc., 2470 Seneca Street
- *Chicago, Illinois Millers Falls Co., 612 West Randolph Street
- Cincinnati, Ohio Cincinnati Electrical Repair Co., 313 East Pearl Street
- Cleveland, Ohio Reserve Electric Company, 2090 East 19th Street
- Dallas, Texas Pearson Appliance Co., 2223 Commerce Street
- Denver, Colorado C. F. McKelvey, 1123 18th Street
- Detroit, Michigan Ken Waldbach, 15731 Hartwell Avenue
- Erie, Pennsylvania R. P. Anderson, 16 West 12th Street
- *Fort Worth, Texas Millers Falls Company, 2711 Rice Street
- Hartford, Connecticut R. M. Grant Tool Supply Co., 65 Airport Road
- High Point, North Carolina Piedmont Electric Repair Company
- Houston, Texas Hill Electric, Inc., 2605 Polk Avenue
- Indianapolis, Indiana Electric Tool Service, 34 W. 10th Street
- Jacksonville, Florida Turner Electric Works, 1020 E. 8th Street
- Kansas City, Missouri Heath Electric Company, 518 16th Street
- Los Angeles, California Electric Tool & Supply Co., 3000 Santa Fe Ave.
- Miami, Florida Florida Electric Motor Co., 235 Northwest Second Avenue
- *Millers Falls, Massachusetts Millers Falls Company
- Memphis, Tennessee Parker Electric Co., 1316 Madison Avenue
- Newark, New Jersey I. R. Nelson Co., Bond Street

- *New York, New York Millers Falls Company, 280 Warren Street
- New Orleans, Louisiana Bill Dreis, Inc., 100 Poydras Street
- Oakland, California Electric Appliance Service Co., 1400 Broadway
- Oklahoma City, Oklahoma Minton Machinery Co., 1000 Robinson
- Omaha, Nebraska Carl A. Anderson, Inc., 106 Jones Street
- Philadelphia, Penn. Alden Elec. Tools & Service, 1234 Spring Garden St.
- Pittsburgh, Pennsylvania Snyder Electric Co., 1919 Gateau Street
- Portland, Oregon Instrument Laboratory, Inc., 1728 S. W. Harbor Drive
- Rochester, New York Frank E. Laffan & Co., 167 Charlotte Street
- Salt Lake City, Utah Whitmore Oxygen Co., 430 East S. Temple St.
- Seattle, Washington Instrument Laboratory, Inc., 934 Elliot Avenue W.
- St. Louis, Missouri Standard Electric Co., 3680 Washington Boulevard
- St. Paul, Minnesota Anderson Machine Tool Co., 2631 University Ave.
- San Antonio, Texas Whiton Electric & Manufacturing Co., 402 Vine St.
- San Francisco, California Electrical Appliance Service Co., 920 Natoma St.
- Tampa, Florida Patrick Electrol Service, 1519 West Hillsboro Avenue

*Factory Branches

CANADA

- Vancouver, B. C. Armature Electric Ltd., 1055 Seymour Street
- Lansing, Ontario Bert Thomas Electric Repair Co., 4578 Yonge Street
- Montreal, Que. International Electric Co., 1037 Bleury Street
- Calgary, Alberta Grover & Longmate, Ltd., 239 Second Avenue West
- Winnipeg, Manitoba Western Elevator & Co., Ltd., 123 Princess St.
- Edmonton, Alberta Electrical Industries Ltd., 10105 106th Street

1 1/2 lbs.
packed in a box

CF

Nicely finished in black

Finest Power Tools Made

**MILLERS FALLS
TOOLS**

SINCE
1868

®

The Mark of Superiority

MILLERS FALLS COMPANY • Greenfield, Mass.